

APPLICANTS: STEIN, M. and RAGHOW, S

SERIAL NO.: 09/707,766

FILED: November 8, 2000

Page 2 of 12

4/28. (New) The method of Claim ~~26~~<sup>3</sup>, wherein the precancerous precursors of prostate adenocarcinoma is prostate intraepithelial neoplasia (PIN).

5/30. (New) The method according to Claim ~~26~~<sup>3</sup>, wherein said subject has benign prostatic hyperplasia, or an abnormally high level of circulating prostate specific antibody (PSA).

6/34. (New) The method according to any of Claims ~~26~~<sup>1</sup> or ~~27~~<sup>2</sup>, wherein said pharmaceutical preparation further comprises a pharmaceutically acceptable carrier.

A 1 7/32. (New) The method according to Claim ~~31~~<sup>10</sup>, wherein said carrier is selected from the group consisting of a gum, a starch, a sugar, a cellulosic material, or mixtures thereof.

8/33. (New) The method according to any of Claims ~~26~~<sup>1</sup> or ~~27~~<sup>2</sup>, wherein said selective estrogen receptor modulator (SERM) is administered subcutaneously, orally, intravenously, intraarterially, intramuscularly, or topically.

9/34. (New) The method according to Claim ~~33~~<sup>8</sup>, whereby said subcutaneous administration is by implanting in said subject a pellet containing said pharmaceutical preparation.

10/35. (New) The method according to Claim ~~34~~<sup>9</sup>, wherein said pellet provides for controlled release of said pharmaceutical preparation over a period of time.

11/36. (New) The method according to Claim ~~33~~<sup>8</sup>, whereby said intravenous, intra-arterial, or intramuscular administration is by intravenously, intraarterially, or intramuscularly injecting in said subject said pharmaceutical preparation in a liquid form.

12/37. (New) The method according to Claim ~~36~~<sup>11</sup>, whereby said oral administration is by orally administering to said subject in a liquid or solid preparation containing said pharmaceutical preparation.

13/38. (New) The method according to Claim ~~37~~<sup>12</sup>, whereby said topical administration is by applying to skin surface of said subject said pharmaceutical preparation.

14/39. (New) The method according to Claim ~~38~~<sup>13</sup>, wherein said pharmaceutical preparation is selected from the group consisting of a pellet, a tablet, a capsule, a solution, a suspension, an emulsion, an elixir, a gel, a cream, and a suppository.

15/40. (New) The method according to Claim ~~39~~<sup>14</sup>, wherein said suppository is a rectal suppository or a urethral suppository.

16/41. (New) The method according to Claim ~~38~~<sup>13</sup>, wherein said pharmaceutical preparation is a parenteral formulation.

APPLICANTS: STEINER, M. and RAGHOW, S

SERIAL NO.: 09/07,766

FILED: November 8, 2000

Page 3 of 12

17 ~~42~~ (New) The method according to claim ~~41~~ <sup>16</sup>, wherein said parenteral formulation comprises a liposome comprising a complex of said an selective estrogen receptor modulator (SERM) and a cyclodextrin compound.

18 ~~43~~ (New) A method of suppressing or inhibiting pre-malignant lesions of prostate cancer of a subject comprising: administering to the subject a pharmaceutical composition comprising an selective estrogen receptor modulator (SERM); and a pharmaceutically acceptable salts, esters, or N-oxides, or mixtures thereof, thereby suppressing or inhibiting the pre-malignant lesions of prostate cancer of the subject.

A 1 19 ~~44~~ (New) A method of treating a subject with pre-malignant lesions of prostate cancer comprising the steps of: administering to the subject, a pharmaceutical composition comprising an selective estrogen receptor modulator (SERM); and a pharmaceutically acceptable salts, esters, or N-oxides, or mixtures thereof, thereby treating the subject with pre-malignant lesions of prostate cancer.

20 ~~45~~ (New) The method of any of Claims ~~43~~ <sup>18</sup> or ~~44~~ <sup>19</sup>, wherein the pre-malignant lesion is a precancerous precursors of prostate adenocarcinoma.

21 ~~46~~ (New) The method of Claims ~~45~~ <sup>20</sup>, wherein the precancerous precursors of prostate adenocarcinoma is prostate intraepithelial neoplasia (PIN).

22 ~~47~~ (New) The method of Claim ~~46~~ <sup>21</sup>, wherein the prostate intraepithelial neoplasia is high prostate intraepithelial neoplasia (HPIN).

23 ~~48~~ (New) The method according to any of Claims ~~45~~ <sup>18</sup> or ~~44~~ <sup>19</sup>, wherein said pharmaceutical composition further comprises an acceptable carrier or diluent.

24 ~~49~~ (New) The method according to Claim ~~48~~ <sup>23</sup>, wherein said carrier is selected from the group consisting of a gum, a starch, a sugar, a cellulosic material, or mixtures thereof.

25 ~~50~~ (New) The method according to any of Claims ~~43~~ <sup>18</sup> or ~~44~~ <sup>19</sup>, wherein said selective estrogen receptor modulator (SERM) is administered subcutaneously, orally, intravenously, intraarterially, intramuscularly, or topically.

26 ~~51~~ (New) The method according to Claim ~~50~~ <sup>25</sup>, whereby said subcutaneous administration is by implanting in said subject a pellet containing said pharmaceutical composition.

27 ~~52~~ (New) The method according to Claim ~~50~~ <sup>25</sup>, wherein said pellet provides for controlled release of said pharmaceutical preparation over a period of time.

28 ~~53~~ (New) The method according to Claim ~~50~~ <sup>25</sup>, whereby said intravenous, intra-arterial, or intramuscular administration is by intravenously, intraarterially, or intramuscularly injecting in said subject said pharmaceutical composition in a liquid form.

<sup>29</sup>34. (New) The method according to Claim <sup>25</sup>50, whereby said oral administration is by orally administering to said subject in a liquid or solid preparation containing said pharmaceutical composition.

<sup>30</sup>35. (New) The method according to Claim <sup>25</sup>50, whereby said topical administration is by applying to skin surface of said subject said pharmaceutical composition.

A <sup>1</sup>36. (New) The method according to any of Claims <sup>18</sup>43 or <sup>19</sup>44, wherein said pharmaceutical composition is selected from the group consisting of a pellet, a tablet, a capsule, a solution, a suspension, an emulsion, an elixir, a gel, a cream, and a suppository.

<sup>32</sup>37. (New) The method according to Claim <sup>31</sup>56, wherein said suppository is a rectal suppository or a urethral suppository.

<sup>33</sup>38. (New) The method according to any of Claims <sup>18</sup>43 or <sup>19</sup>44, wherein said pharmaceutical composition is a parenteral formulation.

<sup>34</sup>39. (New) The method according to Claim <sup>33</sup>58, wherein said parenteral formulation comprises a liposome comprising a complex of said an selective estrogen receptor modulator (SERM) and a cyclodextrin compound.—

#### REMARKS

Claims 1-25 were pending in the subject Application. Applicants have hereinabove canceled claims 1-25; and added new claims 26-59. Therefore, Claims 26-59 are now pending.

Applicants note that no amendment made herein are related to the statutory requirements of patentability unless expressly stated herein; and no amendment made was for the purpose of narrowing the scope of any claim, unless Applicants has argued herein that such amendment was made to distinguish over a particular reference or combination of references. Applicants respectfully request entry of the amendment.

Attached hereto is a marked-up version of the changes made to the subject specification and claims by the hereinabove amendment. The attached page is captioned "Version With Markings To Show Changes Made."

#### REJECTION UNDER 35 U.S.C. 112, First paragraph:

In the Office Action, the Examiner rejected the Claims under 35 U.S.C. 112, first paragraph, as allegedly containing subject matter which was not described in the specification